

Digital Imaging (Cameras)

xD-Picture Card™ / SmartMedia/ Compact Flash

No.di000374e dated 4/Nov.,2003
modified:20/Jun.,2005

- ▶ Digital Camera
- ▶ Digital Camera (SmartMedia with features)
- ▶ Printer
- ▶ Others / Accessories
- ▶ CompactFlash and Microdrive compatible with E-300
- ▶ CompactFlash and Microdrive compatible with E-1
- ▶ CompactFlash and Microdrive compatible with C-8080 Wide Zoom
- ▶ CompactFlash and Microdrive compatible with C-5060 Wide Zoom

Digital Camera

"X": Compatible (**MB - ***MB/ *GB) indicates the capacity from **MB up to ***MB/ *GB can be used.)
 "XX": Compatible with reservation
 "-": Not compatible

OLYMPUS E-Systems (SLR Exchangeable lenses)

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
E-300	XX ^{*1-1} (256MB - 1GB)	XX ^{*1-1} (16MB - 512MB)	-	X ^{*1-2} (TypeI/II 4GB)
E-1	XX ^{*1-1} (256MB - 1GB)	XX ^{*1-1} (16MB - 512MB)	-	X ^{*1-2} (TypeI/II 4GB)

Please visit "CompactFlash and Microdrive compatible with E-300" or "CompactFlash and Microdrive compatible with E-1".

FE-Series

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
FE-5500	X (256MB - 1GB)	X (16MB - 512MB)	-	-

E-Series

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
E-100RS	XX ^{*1-1} (256MB - 1GB)	XX ^{*1-1} (16MB - 512MB)	X (4MB - 128MB)	X (TypeI/II 4MB-320MB)
E-20P	-	XX ^{*1-1} (16MB - 512MB)	X (4MB - 128MB)	X ^{*1-2} (TypeI/II 4MB-320MB)
E-20N	-	XX ^{*1-1} (16MB - 512MB)	X (4MB - 128MB)	X ^{*1-2} (TypeI/II 4MB-

				320MB)
E-20	-	XX ^{*1-1} (16MB - 512MB)	X (4MB - 128MB)	X ^{*1-2} (Type/II 4MB- 320MB)
E-10	-	XX ^{*1-1} (16MB - 512MB)	X (4MB - 128MB)	X (Type/II 4MB- 320MB)

D-Series

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
D-630 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
D-620L	-	-	X ^{*1-3} (2MB - 32MB)	-
D-600L	-	-	X (2MB - 8MB)	-
D-590 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
D-580 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
D-575 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
D-565 ZOOM	X (256MB - 512MB)	X (16MB - 512MB)	-	-
D-560 ZOOM	X (256MB - 512MB)	X (16MB - 512MB)	-	-
D-550 ZOOM	-	-	X (4MB - 128MB)	-
D-545 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
D-540 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
D-535 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
D-520 ZOOM	-	-	X (4MB - 128MB)	-
D-510 ZOOM	-	-	X (4MB - 128MB)	-
D-500L	-	-	X (2MB - 8MB)	-
D-490 ZOOM	-	-	X (2MB - 128MB)	-
D-460 ZOOM	-	-	X (2MB - 128MB)	-
D-450 ZOOM	-	-	X (2MB - 128MB)	-
D-400 ZOOM	-	-	X (2MB - 32MB)	-
D-395	-	X ^{*1-7} (16MB - 512MB)	-	-
D-390	-	X (16MB - 256MB)	-	-
D-380	-	-	X	-

			(4MB - 128MB)	
D-370	-	-	X (4MB - 128MB)	-
D-360L	-	-	X (2MB - 64MB)	-
D-340R	-	-	X (2MB - 16MB)	-
D-340L	-	-	X (2MB - 16MB)	-
D-320L	-	-	X (2MB - 8MB)	-
D-300L	-	-	-	-
D-230	-	-	X (4MB - 128MB)	-
D-220L	-	-	X (2MB - 8MB)	-
D-150 ZOOM	-	-	X (4MB - 128MB)	-
D-100	-	-	X (4MB - 128MB)	-
D-40 ZOOM	-	-	X (4MB - 128MB)	-

C-Series : Single lens reflex cameras

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{**1-7}	Standard		
C-2500L	-	XX ^{**1} (16MB - 512MB)	X (2MB - 128MB)	X (TypeI 4MB-320MB)
C-1400XL	-	-	X ^{**1-3} (2MB - 32MB)	-
C-1400L	-	-	X (2MB - 8MB)	-
C-1000L	-	-	X (2MB - 8MB)	-

C-Series : Optical zoom lens cameras

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{**1-7}	Standard		
C-8080 Wide Zoom	X (256MB - 1GB)	X (16MB - 1GB)	-	X ^{**1-2 *1-4} (TypeI/II 4GB)
C-7070 Wide Zoom	X (256MB - 1GB)	X (16MB - 1GB)	-	X ^{**1-2} (TypeI/II 4GB)
C-7000 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-5060 Wide Zoom	X (256MB - 1GB)	X (16MB - 512MB)	-	X ^{**1-2 *1-4} (TypeI/II 4GB)
C-5050 ZOOM ^{**1-5}	X (256MB - 512MB)	X (16MB - 512MB)	X (4MB - 128MB)	X ^{**1-5} (TypeI/II 1GB)
C-5000 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-4100 ZOOM	-	-	X (4MB - 128MB)	-
C-4040 ZOOM	-	-	X	-

			(4MB - 128MB)	
C-4000 ZOOM	-	-	X (4MB - 128MB)	-
C-3100 ZOOM	-	-	X (4MB - 128MB)	-
C-3040 ZOOM	-	-	X (4MB - 128MB)	-
C-3030 ZOOM	-	-	X (2MB - 128MB)	-
C-3020 ZOOM	-	-	X (4MB - 128MB)	-
C-3000 ZOOM	-	-	X (2MB - 128MB)	-
C-2100 Ultra Zoom	-	-	X (2MB - 128MB)	-
C-2040 ZOOM	-	-	X (4MB - 128MB)	-
C-2020 ZOOM	-	-	X (2MB - 128MB)	-
C-2000 ZOOM	-	-	X (2MB - 128MB)	-
C-770 Ultra Zoom	XX ^{*1-6} (256MB - 1GB)	X (16MB - 512MB)	-	-
C-765 Ultra Zoom	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-760 Ultra Zoom	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-755 Ultra Zoom	X (256MB - 512MB)	X (16MB - 512MB)	-	-
C-750 Ultra Zoom	X (256MB - 512MB)	X (16MB - 512MB)	-	-
C-745 Ultra Zoom	X (256MB - 512MB)	X (16MB - 512MB)	-	-
C-740 Ultra Zoom	X (256MB - 512MB)	X (16MB - 512MB)	-	-
C-730 Ultra Zoom	X (256MB - 512MB)	X (16MB - 512MB)	X (4MB - 128MB)	-
C-725 Ultra Zoom	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-720 Ultra Zoom	-	-	X (4MB - 128MB)	-
C-700 Ultra Zoom	-	-	X (4MB - 128MB)	-

C-Series : Optical zoom lens cameras with sliding lens cover

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
C-990ZS	-	-	X (2MB - 128MB)	-
C-990 ZOOM	-	-	X (2MB - 128MB)	-
C-960 ZOOM	-	-	X (2MB - 128MB)	-
C-920 ZOOM	-	-	X	-

			(2MB - 128MB)	
C-900 ZOOM	-	-	X (2MB - 32MB)	-
C-480 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-470 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-460 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-450 ZOOM	X (256MB - 512MB)	X (16MB - 512MB)	-	-
C-370 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-360 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-350 ZOOM	X (256MB - 512MB)	X (16MB - 512MB)	-	-
C-310 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-300 ZOOM	-	-	X (4MB - 128MB)	-
C-220 ZOOM	-	-	X (4MB - 128MB)	-
C-200 ZOOM	-	-	X (4MB - 128MB)	-
C-70 ZOOM	X (256MB - 1GB)	X (16MB - 512MB)	-	-
C-60 ZOOM	-	X (16MB - 512MB)	-	-
C-50 ZOOM	X ^{*1-8} (256MB)	X ^{*1-8} (16MB - 256MB)	-	-
C-40 ZOOM	-	-	X (4MB - 128MB)	-
C-2 ZOOM	-	-	X (4MB - 128MB)	-
C-1 ZOOM	-	-	X (4MB - 128MB)	-

C-Series : Single focal length cameras

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
C-860L	-	-	X (2MB - 64MB)	-
C-840L	-	-	X (2MB - 16MB)	-
C-830L	-	-	X (2MB - 16MB)	-
C-820L	-	-	X (2MB - 8MB)	-
C-800L	-	-	-	-
C-420L	-	-	X (2MB - 8MB)	-
C-410L	-	-	-	-

C-160	-	X (16MB - 512MB)	-	-
C-150	-	X (16MB - 256MB)	-	-
C-120	-	-	X (4MB - 128MB)	-
C-100	-	-	X (4MB - 128MB)	-
C-21T.commu	-	-	X (2MB - 128MB)	-
C-21	-	-	X (2MB - 128MB)	-
C-2	-	-	X (4MB - 128MB)	-
C-1	-	-	X (4MB - 128MB)	-

AZ-Series

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{**1-7}	Standard		
AZ-1	X (256MB - 1GB)	X (16MB - 512MB)	-	-

μ-Series

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{**1-7}	Standard		
μ-mini DIGITAL S	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ-mini DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ DIGITAL 800	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ 500 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ 410 DIGITAL	-	X (16MB - 512MB)	-	-
μ 400 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ 300 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ-40 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ-30 DIGITAL	-	X (16MB - 512MB)	-	-
μ-25 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ-20 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ-15 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-
μ-10 DIGITAL	X (256MB - 1GB)	X (16MB - 512MB)	-	-

Stylus-Series

Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
Stylus Verve S	X (256MB - 1GB)	X (16MB - 512MB)	-	-
Stylus Verve	X (256MB - 1GB)	X (16MB - 512MB)	-	-
Stylus 800 Digital	X (256MB - 1GB)	X (16MB - 512MB)	-	-
Stylus 500 Digital	X (256MB - 1GB)	X (16MB - 512MB)	-	-
Stylus 410 Digital	-	X (16MB - 512MB)	-	-
Stylus 400 Digital	X (256MB - 1GB)	X (16MB - 512MB)	-	-
Stylus 300 Digital	X (256MB - 1GB)	X (16MB - 512MB)	-	-

X-Series				
Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*1-7}	Standard		
X-600	X (256MB - 1GB)	X (16MB - 512MB)	-	-
X-550	X (256MB - 1GB)	X (16MB - 512MB)	-	-
X-500	X (256MB - 1GB)	X (16MB - 512MB)	-	-
X-450	X (256MB - 1GB)	X (16MB - 512MB)	-	-
X-350	X (256MB - 1GB)	X (16MB - 512MB)	-	-
X-250	X (256MB - 512MB)	X (16MB - 512MB)	-	-
X-200	X (256MB - 512MB)	X (16MB - 512MB)	-	-
X-3	-	X (16MB - 512MB)	-	-
X-2	X ^{*1-8} (256MB)	X ^{*1-8} (16MB - 256MB)	-	-
X-1	X ^{*1-8} (256MB)	X ^{*1-8} (16MB - 256MB)	-	-

*1-1 xD-Picture Card can be used by using with CF Card Adapter: MACF-10.

*1-2 Microdrive which capacity is up to 4 GB can be used. However, do NOT use 340MB Microdrive.

*1-3 Please do NOT use 32MB SmartMedia which is formatted on computer to the C-1400XL camera. It may give a damage on your data stored in the card for their differences of format.

*1-4 Please visit [CompactFlash and Microdrive compatible with C-8080 Wide Zoom](#) or [CompactFlash and Microdrive compatible with C-5060 Wide Zoom](#).

*1-5 For C-5050 ZOOM camera, please do NOT insert two different media cards such as xD-Picture Card and SmartMedia, or CompactFlash and Microdrive into Media Slot (Dual Slot) at the same time. Before using Microdrive, please see the following:

- Since Microdrive is rotating system record media, please do NOT give vibration or impact to the camera especially during recording or playing back.

- When using Microdrive, battery power might be consumed quickly. Therefore, it is recommended to use high-capacity batteries such as CR-V3 lithium or NiMH. It is also recommended to use xD-Picture Card, SmartMedia or CompactFlash for recording your important pictures.

- 512MB and 1GB Microdrive media has been tested but not 340MB. Please do NOT use 340MB Microdrive.

- *1-6 C-770 Ultra Zoom does not allow to record movies with use of the xD-Picture Card Type M in the following conditions: 1) selecting MPEG4 in the record modes, and 2) selecting ON in the sound record mode.
- *1-7 Please contact [Olympus authorized distributor or service center](#) in your region for the purchase information about xD-Picture Card Type M.
- *1-8 Please contact [Olympus authorized distributor or service center](#) in your region for the information about using xD-Picture Card 512MB, Type M 512MB or Type M 1GB.

Digital Camera(SmartMedia with features)

"X": Compatible

"XX": Compatible (To use panorama stitch function, CAMEDIA Master or C-3.0 software is required. Please refer to [compatible softwares](#) for your camera.)

"-": Card can be used as ordinary record media (No panorama or other additional features).

E-Series				
Product name	Standard card (w/ panorama) ^{*2-1}	Template card (4MB)	Calender card (4MB)	Handwriting title card (4MB)
E-100RS	XX	-	-	-
E-20P	-	-	-	-
E-20N	-	-	-	-
E-20	-	-	-	-
E-10	-	-	-	-

D-Series				
Product name	Standard card (w/ panorama) ^{*2-1}	Template card (4MB)	Calender card (4MB)	Handwriting title card (4MB)
D-620L	-	-	-	-
D-600L	-	-	-	-
D-550 ZOOM	XX	-	-	-
D-520 ZOOM	XX	-	-	-
D-510 ZOOM	XX	-	-	-
D-500L	-	-	-	-
D-490 ZOOM	XX	X	X	X
D-460 ZOOM	XX	X	X	X
D-450 ZOOM	XX	X	X	X
D-400 ZOOM	XX	X	X	X
D-370	XX	-	-	-
D-360L	XX	X	X	X
D-340R	XX	X	X	X
D-340L	XX	X	X	X
D-320L	XX	X	X	X
D-230	XX	-	-	-
D-220L	XX	X	X	X
D-150 ZOOM	-	-	-	-
D-100	-	-	-	-

D-40 ZOOM	XX	-	-	-
-----------	----	---	---	---

C-Series : Single lens reflex cameras

Product name	Standard card (w/ panorama) ^{*2-1}	Template card (4MB)	Calender card (4MB)	Handwriting title card (4MB)
C-2500L	-	-	-	-
C-1400XL	-	-	-	-
C-1400L	-	-	-	-
C-1000L	-	-	-	-

C-Series : Optical zoom lens cameras

Product name	Standard card (w/ panorama) ^{*2-1}	Template card (4MB)	Calender card (4MB)	Handwriting title card (4MB)
C-5050 ZOOM	XX	-	-	-
C-4100 ZOOM	XX	-	-	-
C-4040 ZOOM	XX	-	-	-
C-4000 ZOOM	XX	-	-	-
C-3100 ZOOM	XX	-	-	-
C-3040 ZOOM	XX	X	X	X
C-3030 ZOOM	XX	X	X	X
C-3020 ZOOM	XX	-	-	-
C-3000 ZOOM	XX	X	X	X
C-2100 Ultra Zoom	XX	X	X	X
C-2040 ZOOM	XX	X	X	X
C-2020 ZOOM	XX	X	X	X
C-2000 ZOOM	XX	X	X	X
C-730 Ultra Zoom	XX	-	-	-
C-720 Ultra Zoom	XX	-	-	-
C-700 Ultra Zoom	XX	-	-	-

C-Series : Optical zoom lens cameras with sliding lens cover

Product name	Standard card (w/ panorama) ^{*2-1}	Template card (4MB)	Calender card (4MB)	Handwriting title card (4MB)
C-990ZS	XX	X	X	X
C-990 ZOOM	XX	X	X	X
C-960 ZOOM	XX	X	X	X
C-920 ZOOM	XX	X	X	X
C-900 ZOOM	XX	X	X	X
C-300 ZOOM	XX	-	-	-
C-220 ZOOM	XX	-	-	-
C-200 ZOOM	XX	-	-	-
C-40 ZOOM	XX	-	-	-
C-2 ZOOM	XX	-	-	-
C-1 ZOOM	-	-	-	-

C-Series : Single focal length cameras

Product name	Standard card (w/ panorama) ^{*2-1}	Template card (4MB)	Calender card (4MB)	Handwriting title card (4MB)
--------------	--	---------------------	---------------------	---------------------------------

C-860L	XX	X	X	X
C-840L	XX	X	X	X
C-830L	XX	X	X	X
C-820L	XX	X	X	X
C-420L	XX	X	X	X
C-100	XX	-	-	-
C-21T.commu	XX	X	X	X
C-21	XX	X	X	X
C-2	XX	-	-	-
C-1	-	-	-	-

*2-1 Model numbers of SmartMedia with panorama stitch function

Olympus M-4P, M-8P, M-16P, M-16PI, M-32PI, M-64P, M-64PI, M-128PI

Lexer MSM-16, MSM-32, MSM-64, MSM-128

Printer

"X": Compatible (**MB-***MB) indicates the capacity from **MB up to ***MB can be used.)

"XX": Compatible using with card adapter, etc.

"-": Not compatible

Printer Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*3-5}	Standard		
P-400	XX ^{*3-4}	XX ^{*3-4}	X (4MB - 128MB)	XX ^{*3-2}
P-330N	-	-	X (4MB - 64MB)	-
P-330	-	-	X (2MB - 16MB)	-
P-200	-	XX ^{*3-3}	X (2MB - 128MB)	X ^{*3-1}

*3-1 CompactFlash compatible with P-200 printer is Typel (up to 160MB) and Typell (up to 340MB).

*3-2 - P-400 printer is compatible with PC Card adapter ([PCMCIA] Type II).

- Microdrive, CompactFlash or Memory Stick can be used via PC Card adapter.

- Please ask your PC Card adapter manufacturer for further detail or compatibility with Microdrive, CompactFlash or Memory Stick.

- Microdrive which is complied with CompactFlash Typell can be used via PC Card adapter ([PCMCIA] Typell).

- SD Card or MultiMedia Card cannot be used regardless of carrying with PC Card adapter.

*3-3 Since P-200 printer has CF Slot, xD-Picture Card can be used by getting through CF Card Adapter: MACF-10.

*3-4 xD-Picture Card can be used by using with PC Card Adapter: MAPC-10.

*3-5 Please contact [Olympus authorized distributor](#) or [service center](#) in your region for the purchase information about xD-Picture Card Type M.

Others/Accessories

"X": Compatible ((**MB-***MB/ *GB) indicates the capacity from **MB up to ***MB/ *GB.)

"XX": Compatible with reservation

"-": Not compatible

Others/Accessories				
Product name	xD-Picture Card		SmartMedia 3V(3.3V)	CompactFlash
	Type M ^{*4-7}	Standard		
MAUSB-300	X (256MB - 1GB)	X (16MB - 512MB)	-	-
MAUSB-200 ^{*4-5}	X (256MB - 1GB)	X (16MB - 512MB)	-	-
MAUSB-100	X (256MB - 1GB)	X (16MB - 512MB)	-	-
MAUSB-10	XX ^{*4-6} (256MB - 1GB)	X (16MB - 512MB)	X (4MB - 128MB)	-
MAUSB-2	-	-	X (2MB - 64MB)	-
MAPC-10	X (256MB - 1GB)	X (16MB - 512MB)	X (2MB - 128MB)	-
MACF-10	X (256MB - 1GB)	X (16MB - 512MB)	-	-
MAFP-2N	-	-	X ^{*4-3} (2MB - 128MB)	-
MAFP-2	-	-	X ^{*4-3} (2MB - 128MB)	-
MAFP-1N	-	-	X ^{*4-3} (2MB - 32MB)	-
MAFP-1	-	-	X ^{*4-3} (2MB - 32MB)	-
MA-2	-	-	X ^{*4-2} (2MB - 128MB)	-
MA-1	-	-	X (2MB - 8MB)	-
VS100ST ^{*4-4}	-	-	X ^{*4-1} (2MB - 128MB)	-
VS100MO ^{*4-4}	-	-	X ^{*4-1} (2MB - 128MB)	-

*4-1 When the sticker which says "Compatible to 32MB" is put on the outer package of the camera, SmartMedia with the capacity of 32MB, 64MB or 128MB can be used. (If there is no sticker on the package, it is NOT compatible to Exif, DCF or DPOF format.)

*4-2 Please do NOT connect SmartMedia with the capacity of 32MB and over to the MacOS under 7.6. The image data might be damaged once the card was connected with those MacOS.

*4-3 Please visit [FlashPath driver](#) for downloading the latest issue of drivers.

*4-4 VS100 can display the maximum 2000 image. Please note that image over 2000 stored in SmartMedia cannot be displayed on TV.

*4-5 You can purchase only as the package deal combining with xD-Picture Card, can not purchase MAUSB-200 as single item.

*4-6 Please visit [MAUSB-10 driver](#) for downloading the latest issue of drivers.

*4-7 Please contact [Olympus authorized distributor or service center](#) in your region for the purchase information about xD-Picture Card Type M.